



CAPRI GLASS SHOWER ENCLOSURE

The Capri glass shower offers an elegant overlapping hinge and frameless design in a variety of hardware finishes, layouts, and handle options.



FGD
Glass Solutions

HIGHLIGHTS

- Fully frameless glass design
- Solid brass wall mount self-closing hinges
- Up to 1/2 in. out-of-plumb adjustment on all size models
- Reversible for right or left door opening
- Single doors with no stationary panel, 24 in. - 29 1/2 in. wide
- Models from 36 in. - 65 1/2 in. requires support arm for stable structure
- Materials: ANSI certified tempered glass, solid brass hardware
- Studs or reinforcement behind finished walls required for installation

SPECS

Enclosure Style: In-Line
Custom Enclosure Layouts: Contact Us for Additional Layout Options
Enclosure Type: Frameless
Door Style: Swing
Number of Doors: 1
Door Swing: Pivot
Fits Opening: 48" – 60"
Custom Sizes: Yes
Glass Thickness: 5/16", 3/8", 1/2"
Glass Types: Standard, Low Iron, & Frosted
Hardware Material: Stainless Steel

HARDWARE FINISHES

Chrome, Brushed Stainless Steel, & Flat Black

HANDLE OPTIONS


Crecent Pull, D Pull, Ladder Pull, Round Mitered Pull, Square Mitered Pull, D Pull Combo, Round Mitered Pull Combo, Square Mitered Pull Combo - *Additional hardware available upon request*

HANDLE SIZES

6", 8", 12"

TOWEL BAR SIZES

12", 18", 20", 22", 24"




WALL SHELVING BRACKET




45 DEGREE MAGNETIC PROFILE GLASS TO GLASS FIT




PULL HANDLE



ALUMINIUM THRESHOLD



GLASS SHELF BRACKET



'U' SEAL WITH BULB ATTACHMENT




THRESHOLD END CAP




RIGHT/ LEFT SIDED


THRESHOLD END INLINE PANEL COVER



GLASS SHELVING




'U' SEAL WITH 90 DEGREE VINYL FIN




DOOR SWEEP





GLASS MOUNT SELF CLOSING HINGES



PANEL SUPPORT ARM



WALL MOUNT BRACKET



CUSTOM OPTIONS

DIMENSIONS

- 30 in. (914 mm) - 36 in. (1066 mm) x 72 in. (1830 mm) height
- Custom sizes and configurations available to fit specific project

GLASS

- 5/16 in. (8 mm), 3/8 in. (10 mm) thicknesses
- Clear and frosted

HARDWARE

- Chrome, Brushed Stainless, Oil rubbed bronze and Satin Black
- 1 in. (25 mm) aluminium U-channel on two (2) sides of fixed panel for more out-of-plumb adjustment.

- CH (Chrome)
- ST (Brushed Stainless)
- SB (Satin Black)
- RB (Oil Rubbed Bronze)



GLASS COATINGS

- Nano Fusion - is baked in with lifetime warranty
- Surface Shield - is surface applied with three (3) years of warranty



- Frosted glass made with acid etching process, easy to clean and leaves no finger prints



NOTE

- Shower pan with minimum curb width of 2 in. (50 mm) required.
- Wall mount brackets are not used with U-channel option.
- Opening direction required with optional glass coating or frosted glass.
- Blocking required where door rail wall connectors are installed.



INSPIRE | ENVISION | DESIGN | BUILD

We inspire our clients to envision dramatic concepts by providing architectural decorative glass and hardware solutions that bring their vision to life.

FGD-OSS is a premier Decorative Architectural Glass fabricator and supplier serving the Hospitality and Design Industry by utilizing our award winning designs and in-house fabricating. After more than a decade FGD-OSS has become a leading Decorative Architectural Glass source for Architects, Designers, and Contractors, and has earned the trust of some of the largest firms in the nation; discover what we can do for yours.

470 Satellite Blvd NE Suite A, Suwanee, GA 30024 | Phone: 770-614-4121 Fax: 770-614-4180 | FGDglass.com