



MAUI GRIDVUE GLASS SHOWER

Our GridVue glass showers offer modern styling in a variety of configurations and hardware options. The Maui features a printed grid pattern and flat-black hardware with your choice of handle and configuration layout.



FGD
Glass Solutions

HIGHLIGHTS

- Fully frameless glass design
- Solid brass wall mount self-closing hinges
- Up to 1/2 in. out-of-plumb adjustment on all size models
- Reversible for right or left door opening
- Single doors with no stationary panel, 24 in. - 29 1/2 in. wide
- Models from 36 in. - 65 1/2 in. requires support arm for stable structure
- Materials: ANSI certified tempered glass, solid brass hardware
- Studs or reinforcement behind finished walls required for installation

SPECS

Enclosure Style: In-Line

Custom Enclosure Layouts: Contact Us for Additional Layout Options

Enclosure Type: Frameless

Door Style: Swing

Number of Doors: 1

Door Swing: Pivot

Fits Opening: 48" – 72"

Custom Sizes: Yes

Glass Thickness: 3/8" & 5/16"

Glass Types: Standard, Low Iron, & Frosted

Hardware Material: Stainless Steel

HARDWARE FINISHES

Flat Black

HANDLE OPTIONS

Crecent Pull, D Pull, Ladder Pull, Round Mitered Pull, Square Mitered Pull, D Pull Combo, Round Mitered Pull Combo, Square Mitered Pull Combo - *Additional hardware available upon request*


HANDLE SIZES


6", 8", 12"

TOWEL BAR SIZES

12", 18", 20", 22", 24"

FIJI GLASS SHOWER





DIMENSIONS

- Custom sizes available to fit specific project requirements. Sizes range from 24" (609 mm) min. - 36" (914 mm) max. width

GLASS

- 5/16 in. (8 mm), 3/8 in. (30 mm) and 1/2 in. (12 mm) thicknesses
- Clear and frosted.

HANDLES

- 6 in. (152 mm) back to back pull

Option 1 (Standard) Option 2 Option 3

• 6 in. (152 mm) pull handle and 24 in. (610 mm) towel bar combination

Option 4 Option 5 Option 6

GLASS COATINGS

- Nano Fusion - is baked in with lifetime warranty
- Surface Shield - is surface applied with three (3) years of warranty

UNTREATED TREATED

- Frosted glass made with acid etching process, easy to clean and leaves no finger prints

NOTE

- Shower pan with minimum curb width of 1 in. (25 mm) required.
- Seawin Metro heights and widths can be customized to fit specific project requirements.
- Opening direction required with optional glass coating or frosted glass combining with pull handle/towel bar combination.
- Blocking required where hinges are installed.



FGD
Glass Solutions

INSPIRE | ENVISION | DESIGN | BUILD

We inspire our clients to envision dramatic concepts by providing architectural decorative glass and hardware solutions that bring their vision to life.

FGD-OSS is a premier Decorative Architectural Glass fabricator and supplier serving the Hospitality and Design Industry by utilizing our award winning designs and in-house fabricating. After more than a decade FGD-OSS has become a leading Decorative Architectural Glass source for Architects, Designers, and Contractors, and has earned the trust of some of the largest firms in the nation; discover what we can do for yours.

470 Satellite Blvd NE Suite A, Suwanee, GA 30024 | Phone: 770-614-4121 Fax: 770-614-4180 | FGDglass.com